



My child's appointment was on: _____.

Lead Level: ____

My child's next appointment



,	Date:	Lead Level:
5.		

THESE APPOINTMENTS ARE VERY IMPORTANT!



A LEAD TEST TELLS YOU HOW MUCH LEAD IS IN YOUR CHILD'S BLOOD. THE LOWER THE TEST RESULT, THE BETTER!

	TEST RESULT (mcg/dL)	WHAT TO DO
	0-4	Results are good! Continue practicing lead poisoning prevention.
	5-14	Your child has an elevated lead level. Contact Tioga County Public Health and we will work with you & your child's doctor to lower their lead level.
	15-44	Your child has very high lead levels. Action has to be taken quickly. Contact Tioga County Public Health.
	45+	Your child is very sick and needs medical treatment right away. Contact your child's doctor now!

IF YOUR CHILD HAS A HIGH LEAD LEVEL, THEY WILL NEED TO BE TESTED AGAIN. PLEASE TALK TO THEIR DOCTOR ABOUT HOW OFTEN THEY NEED A LEAD TEST. ALL CHILDREN SHOULD BE TESTED FOR LEAD AT AGE 1 AND AGAIN AT AGE 2!





WHERE IS LEAD FOUND?

LEAD-BASED PAINT

Old houses may still have lead paint in them. Children can eat peeling paint chips or get the paint on their hands!



Dust in your home may have lead in it from lead paint. Children can swallow or breathe the dust in.

LEAD-BASED

TOYS &

FURNITURE



DRINKING

MATER

from old plumbing (leaded pipes).

Over time, soil can get lead in it from peeling lead paint or leaded gasoline, Young children are more likely to get lead poisoning because, they spend a lot of time playing with their toys on the floor that may contain lead-contaminated dust.

The leaded dust can also get on the child's toys. Young children are more likely to put their hands and toys into their mouth, causing them to ingest lead.

BEHAVIOR

GROWTH



AND MORE!



HOW ARE GUILDREN

POBONED BY LEAD?



LEARNING





BUILDING RESTORATION

PLUMBING

STAINED GLASS WORK

USING LEAD BULLETS

PACKING AMMUNITION

LEAD FISHING SINKERS

*POTTERY GLAZES

LEAD SOLDER

*MAKE-UP FROM OTHER COUNTRIES



*Not all pottery glazes, and foreign make-up contain lead. Make sure these products are lead-free!





BREAKFAST

Cheese omelet, with 100% orange juice Wheat toast and peanut butter with milk



DINNER

SNACKS

Grilled cheese, pepper slices with dip, and milk Tuna salad sandwich, sliced tomato, and 100% fruit juice

Grilled chicken, sweet potato, and broccoli Macaroni and cheese with 100% fruit juice

 Smoothie
Combine milk,
fruit, and spinach and blend!

Cheese & crackers with orange slices

F TOUR HOME WAS DULT BEFORE 1978 TEST IT FOR LEAD

CALL TIOGA COUNTY PUBLIC HEALTH TO SCHEDULE A HEALTHY NEIGHBORHOODS VISIT!

Ħ



- Get your children tested as soon as possible, even if they seem healthy
- Wipe or take off your shoes before coming inside
- DO NOT try to remove the lead paint by yourself
- Before using, let the tap water run for 2-3 minutes or until the water is cold
- Use cold water to make your baby's formula, and for drinking and cooking



It's your LANDLORDS JOB TO MAKE REPAIRS if a source of lead needs to be removed!

Your landlord can call Tioga County Public Health if they have questions or need more information.

LEAD POISONING ADD POISONING It's dangerous to have high LEAD LEVELS WHILE PREGNANT!

ASK YOUR DOCTOR ABOUT A BLOOD TEST IF YOU...

- live in a home built before 1978
- live with someone who has a job or hobby that involves lead or leaded materials
- use herbal remedies
- are experiencing abnormal cravings (ex. dirt, clay)
- use cosmetics from another country
- use lead-glazed pottery, brass or pewter, or leaded crystal

MOTHERS WITH HIGH LEAD LEVELS ARE AT INCREASED RISK OF HIGH BLOOD PRESSURE, EARLY DELIVERY, AND PASSING LEAD TO THEIR BABY!

> ROTECTING YOURSELF FROM LEAD MEANS PROTECTING YOUR BABY TOO!



- Your child's health care provider
- Tioga County Public Health 607-687-8600
- The National Lead Information Center: 1-800-424-LEAD
- The EPA's Safe Drinking Water Hotline: 1-800-426-4791

OR VISIT...

- ph.tiogacountyny.gov
- www.epa.gov/lead
- www.cdc.gov.nceh/lead
- www.hud.gov/office/lead

